

邁高遠科技有限公司
Microtech Technology Co.,Ltd.
香港九龍佐敦上海街42-46號忠和商業中心3樓304室
Unit 304, 3/F., Chung Wo Commercial Centre, 42-46
Shanghai Street, Jordan Kowloon Hong Kong.
電話 Tel: (852) 3521 0311 傳真 Fax: (852) 3523 0449
電郵 E-mail: Edward_Chu@microtech-lcd.com
Website: www.microtech-lcd.com

LCD Modules Selection Guide

深圳市邁高遠科技有限公司
ShenZhen Microtech Technology Co., Ltd.
深圳市民治大道沙吓村南方明珠工业园厂房A栋3樓
3/F.,Block A,Southern Pearl Industrial Estate,Minzhi Dao,
Shaxia Village,Shengzhen City, Guang Dong
Province,China.
Tel:(86-755) 8372 5193 8372 5037 (Ext.808)
Fax:(86-755) 8372 3887

Dot Matrix LCM Product List

Dots	Part No.	Controller	Outline Dimension	View Area	Active Area	Interface	remark
96×16	MTC3052	ST7549-COG	29.2×10.8	21.2×7.8	19.18×3.82	S	0.5pitch,6PIN
	MTC3070FA	NT7603H-COG	38X22	34X11.8	31.92X7.6	P	1.27pitch,14pin
96×26	MTC5588F	ST7549-COG	32.9×17	29.9×9	23.97×6.47	P	0.9pitch,16PIN,ICON
	MTC5583IA	NT7534-COG	33.0×16.4	25.8×9.7	23.98×6.22	P	0.6pitch,49PIN,ICON
	MTC3004FA	ST7549-COG	32.9×17.0	30.0×10.0	23.97×6.47	S	0.5pitch, 8PIN,ICON
	MTC3004FB	ST7549-COG	32.9×17.0	30.0×10.0	23.97×6.47	S	0.5pitch, 8PIN, ICON
	MTC3004FC	ST7549-COG	32.9×17.0	30.0×10.0	23.97×6.47	S	0.8pitch, 8PIN, ICON
	MTC3004FD	ST7549-COG	32.9×17.0	30.0×10.0	23.97×6.47	S	0.8pitch, 8PIN, ICON
	MTC3004FE	ST7549-COG	32.9×17.0	30.0×10.0	23.97×6.47	S	0.8pitch, 8PIN, ICON
	MTC3011FA	ST7549-COG	32.9×15.0	29.9×7.3	23.975×6.475	P	0.9pitch, 18PIN
96×32	MTC3011FB	ST7549-COG	32.9×15.0	29.9×7.3	23.975×6.475	S	0.8pitch, 8PIN
	MTC2009	ST7549-COG	29.0×17.0	26.0×10.0	21.09×8.42	S	0.8pitch,18PIN,ICON
96×32	MTC2011T	ST7549-COG	27.6×14.2	25.6×12.2	20.14×6038	S	0.8pitch, 18PIN
	MTC2013B	ST7533-COG	30.0×18.0	27×10	23.495×7.815	S	0.8pitch,20PIN,ICON
96×65	MTC5565	ST7545-COG	38.3×34.9	35.3×26.2	30.503×21.49	S	1.15pitch,8PIN
96×64	MTC5566FA	SSD1815BZ-COG	25.8×25.8	22.8×16.8	20.13×14.37	S	1.0pitch, 18PIN
	MTC5566FB	SSD1815BZ-COG	25.8×25.8	22.8×16.8	20.13×14.37	S	0.8pitch, 18PIN
	MTC2001	ST7565S-COG	25.8×25.8	22.8×16.8	20.13×14.17	P, 6800/8080	0.8pitch, 28PIN
	MTC2020FA	ST7549-COG	25.8×21.3	23.8×15.0	20.13×12.13	P	0.8pitch,18PIN,JOLED
	MTC2026FA	SSD1818-COG	29.7×25.2	25.9×15.5	21.2×14.06	P	0.8pitch,28PIN,POSITIVE
	MTC2021FA	S6B0724-COG	18.5×24.5	16.5×17.0	14.471×14.375	S	0.7pitch, 18PIN
	MTC2026FB	SSD1818-COG	29.7×25.2	25.9×15.5	21.2×14.06	P	0.8pitch,28PIN,JOLED
	MTC2029FA	ST7549-COG	29.7×25.2	25.9×15.5	21.1×14.06	S	0.8pitch,18PIN,JOLED
	MTC2029FAN	ST7549-COG	29.7×25.2	25.9×15.5	21.1×14.06	S	0.8pitch,18PIN,NEGATIVE
96×64	MTC3026FA	EM65565A-COG	34.4×35.5	31.4×24.9	26.84×17.24	P/S	0.8pitch,33PIN,ICON
	MTC3033FA	ST7556-COG	34.0×32.7	31.0×25.0	27.34×18.67	S	1.3pitch, 8PIN,ICON
96×48	MTC1003FAN	ST7565R-COG	19.4*17.4	17.4*10.9	15.92*8.73	P	0.6pitch,26pin
	MTC2006T	ST7565R-COG	26.8×16.7	21.372×10.338	16.684×8.332	S	0.5pitch, 20PIN
	MTC2006FA	ST7566R-COG	26.8×16.8	21.372×10.339	16.684×8.333	S	0.8pitch, 18PIN
80×25	MTC4007FA	ST7036-COG	41×31	38×21	35.02×18	P	0.8pitch,21PIN,ICON
80×48	MT5554	ST7565-COG	24×22.2	21×13.2	16.775×10.055	S	1.0pitch,18PIN
80×64	MTC2019FB	S60724-COG	24.0×28.15	20.0×16.65	19.97×15.97	P, 6800/8080	0.5pitch,28PIN
80×80	MTC4008FA	UC1612-COG	45.2×43.6	40×40	34.77×34.77	P	0.8pitch,22PIN, T/P
80×80	MTC4008FB	UC1612-COG	45.2×43.6	40×40	34.77×34.77	S	0.8pitch,22PIN, T/P
64×32	MTC1001T	UC1602-COG	16.5×19.0	13.5×10.0	12×8.4	S	1.5pitch,10PIN,ICON
64×48	MTC1002FA	SPLC502B-COG	15.98*17.0	13.18*12.02	11.18×8.38	P,6800/8080	0.8pitch,28PIN,POSITIVE
	MTC1002FAN	SPLC502B-COG	15.98*17.0	13.18*12.02	11.18×8.38	P,6800/8080	0.8pitch,28PIN,NEGATIVE
	MTC1002FB	SPLC502B-COG	15.98X17.02	13.18X9.52		P	0.6pitch,28pin
128×32	MTC2016A	SSD1805-COG	24.2×20.6	22.5×15	19.18×13.18	P	0.5pitch, 20PIN
	MTC1369FA	KS0724-COG	42×17.66	39×8.66	30.695×7.655	S	0.5pitch,18PIN
	MTC1369FB	KS0724-COG	42×17.66	39×8.66	30.695×7.655	S	0.6pitch,18PIN
	MTC1369FC	KS0724-COG	42×17.66	39×8.66	30.695×7.655	S	0.5pitch,18PIN
	+MTC4589FA	ST7565S-COG	35×18	32×10	29.031X8.295	P,6800/8080	0.5pitch,28PIN
	MTC4589FB	ST7565S-COG	35×18	32×10	29.031X8.295	P,6800/8080	0.5pitch,28PIN
	MTC4589FD	ST7565S-COG	35×18	32×10	29.031X8.295	P/S	0.5pitch,28PIN
	MTC4589FE	ST7565S-COG	35×18	32×10	29.031X8.295	P, 6800/8080	0.8pitch,28PIN
	MTC4589FF	ST7565S-COG	35×18	32×10	29.031X8.295	P, 6800/8080	0.6pitch,28PIN
	MTC4589FH	ST7565S-COG	35×18	32×10	29.031X8.295	P/S	0.7pitch,28PIN
	MTC4589FI	ST7565S-COG	35×18	32×10	29.031X8.295	P, 6800/8080	0.5pitch,28PIN
	MTC4589FJ	ST7565S-COG	35×18	32×10	29.031X8.295	P/S	0.5pitch,28PIN
	MTC4589FK	ST7565S-COG	35×18	32×10	29.031X8.295	P, 6800/8080	0.5pitch,28PIN
	MTC4589FM	ST7565S-COG	35×18	32×10	29.031X8.295	P, 6800/8080	0.5pitch,28PIN
	MTC2012B	NT7534-COG	28.0×15.2	25.6×9.3	23.01×8.536	P/S,6800/8080	0.7pitch,30PIN
	MTC2023FA	ST7565R-COG	27.8×15.5	24.9×10.5	23.015×7.015	P/S,6800/8080	0.7pitch,32PIN
MTC2024FA	NT7534-COG	27.8×15.15	25.0×9.5	23.02×6.54	P/S,6800/8080	0.6pitch,28PIN	

邁高達科技有限公司
Microtech Technology Co., Ltd.
香港九龍佐敦上海街 42-46 號忠和商業中心3樓 304 室。
Unit 304, 3/F., Chung Wo Commercial Centre, 42-46
Shanghai Street, Jordan Kowloon Hong Kong.
電話 Tel: (852) 3521 0311 傳真 Fax: (852) 3523 0449
電郵 E-mail: Edward_Chu@microtech-lcd.com
Website: www.microtech-lcd.com

LCD Modules Selection Guide

深圳市邁高達科技有限公司
ShenZhen Microtech Technology Co., Ltd.
深圳市民治大道沙頭村南方明珠工業園廠房 A 棟 3 樓
3/F., Block A, Southern Pearl Industrial Estate, Minzhi Da
Dao, Shaxia Village, Shengzhen City, Guang Dong
Province, China.
Tel:(86-755) 8372 5193 8372 5037 (Ext.808)
Fax:(86-755) 8372 3887

Dot Matrix LCM Product List

Dots	Part No.	Controller	Outline Dimension	View Area	Active Area	Interface	remark
128x32	MTC2030FA	ST7565R-COG	28x15.2	25.6x9.3	23.01x6.535	P/S,6800/8080	0.7pitch,30PIN
	MTC3016B	ST7565P-COG	34.0x16.0	32.0x10.0	28.895x7.975	P	0.6pitch,15PIN
	MTC3030FA	ST7565R-COG	35.0x16.4	32.0x10.0	29.666x8.45	S	0.8pitch,18PIN
	MTC3032FA	ST7565R-COG	34.5x18.0	32.0x10.0	29.666x8.45	P, 6800/8080	0.5pitch,28PIN
	MTC3032FB	ST7565R-COG	34.5x18.0	32.0x10.0	29.666x8.45	P, 6800/8080	0.6pitch,28PIN
	MTC3041FA	ST7565R-COG	34.0x16.0	32.0x10.0	28.895x7.975	P	0.6pitch,15PIN
	MTC3041FB	ST7565R-COG	34.0x16.0	32.0x10.0	28.895x7.975	P	0.6pitch,49PIN
	MTC3049FA	ST7565R-COG	35.0x16.4	32.0x10.0	29.666x8.45	P/S,6800/8080	0.6pitch,49PIN
	MTC4004FA	ST7565P-COG	42.0x17.66	39.0x8.66	30.7x7.66	P, 6800/8080	0.6pitch,28PIN
	MTC3059	TL8201	35.0*16.4	32.0*10.0	29.66*8.45	P	0.8pitch,18pin
	MTC2042FA	TL8201	27.80X15.50	25.80X10.00	24.807X8.999	S	0.8pitch,18pin
MTC5004FA	ST7565P-COG	53X25.5	50.5X17	47.33X13.73	P	1.0pitch,18pin	
128x64	MTC3023FA	NT7534H-TAB	32.9x17.6	30.5x13.2	23.655X11.815	P/S,6800/8080	0.6pitch,40PIN
	MTC3023FB	NT7534H-TAB	32.9x17.6	30.5x13.2	23.655X11.815	P/S,6800/8080	0.6pitch,49PIN
	MTC5535FD	ST7565-COG	43.8x28.7	39.5x20.0	24.54x17.26	P,6800/8080	0.6pitch,28PIN
	MTC5536FA	ST7565-COG	31x27	28x18	25.964x15.02	P,6800/8080	0.5pitch,28PIN
	MTC5536FB	ST7565-COG	31x27	28x18	25.964x15.02	P,6800/8080	0.5pitch,28PIN
	+MTC5536FC	ST7565-COG	31x27	28x18	25.964x15.02	P/S	0.5pitch,28PIN
	MTC5536FD	ST7565-COG	31x27	28x18	25.964x15.02	P/S	0.8pitch,28PIN
	MTC5536FEH	ST7565-COG	31x27	28x18	25.964x15.02	P,6800/8080	0.8pitch,28PIN
	MTC5536FEL	ST7565-COG	31x27	28x18	25.964x15.02	P,6800/8080	0.8pitch,28PIN
	MTC5536FF	ST7565-COG	31x27	28x18	25.964x15.02	P/S	0.8pitch,28PIN
	MTC5536FG	ST7565-COG	31x27	28x18	25.964x15.02	S	0.8pitch,21PIN
	MTC5917F	ST7565-COG	57x39.4	52.6x27.5	48.615x24.295	P/S,6800/8080	0.8pitch,32PIN
	+MTC5922	2xST7565-COG	32x27	24x17	23.015x16	S	0.5pitch,18PIN
	MTC5587FA	ST7565S-COG	33.0x23.0	29.0x13.5.0	26.86x12.0	S	0.8pitch,21PIN,POSITIVE
	MTC5587FAN	ST7565S-COG	33.0x23.0	29.0x12.0	26.86x12.0	S	0.8pitch,21PIN,NEGATIVE
	MTC2014FA	ST7565R-COG	28.55x20.1	26.15*13.9	23.02x8.62	P/S	0.8pitch,28PIN,JOLED
	MTC2014FB	ST7565R-COG	28.55x20.1	26.15*13.9	23.02x8.62	P/S	0.7pitch,28PIN,JOLED
	MTC2014FC	ST7565R-COG	28.55x20.1	26.15*13.9	23.02x8.62	P/S	0.8pitch,18PIN,JOLED
	MTC2014FD	SPLC502B-COG	28.55X20.1	26.15X13.90	23.02X11.5	P	0.7pitch,28pin ,POSITIVE
	MTC2028FA	SPL502-COG	28.5x20.16	26.5x14.36	21.74x11.98	P/S,6800/8080	0.8pitch,28PIN
	MTC2036FA	SPLC502B-COG	24.2X17.35	22.2X14.75	19.18X13.18	p	0.5pitch,20PIN
	+MTC3017B	NT7534-COG	32.0x21.0	29.0x15.0	25.575x12.775	P/S,6800/8080	0.6pitch,49PIN
	MTC3020B	ST7565P-COG	32.0x19.14	28.0x14.1	23.916x10.86	P/S	0.7pitch,30PIN
	MTC3021B	ST7565R-COG	36.0x26.0	34.0x18.5	30.0275x16.4935	P	0.8pitch,28PIN
	MTC3022FA	ST7565P-COG	33.9x32.5	30.9x23.0	27.37x19.18	P/S,6800/8080	0.8pitch,28PIN
	+MTC3022FB	ST7565P-COG	33.9x32.5	30.9x23.0	27.37x19.18	P/S,6800/8080	0.8pitch,28PIN
	MTC3022FC	ST7565P-COG	33.9x32.5	30.9x23.0	27.37x19.38	S	0.8pitch,21PIN
	MTC3022FD	ST7565P-COG	33.9x32.6	30.9x23.1	27.37x19.39	S	0.8pitch,21PIN
	MTC3027FA	ST7565P-COG	32.0x19.2	28.0x12.9	24.29x11.17	P	0.7pitch,32PIN
	MTC3029FA	ST7565P-COG	34.0x27.0	31x20	28x16.99	P,6800/8080	0.8pitch,28PIN
	MTC3037FA	S6B0724-COG	31.0x27.0	28.0x18.0	25.964x15.02	P,6800/8080	0.8pitch,28PIN
	MTC3037FB	S6B0724-COG	31.0x27.0	28.0x18.0	25.964x15.02	S	0.8pitch,21PIN
	MTC3037FC	S6B0724-COG	31.0x27.0	28.0x18.0	25.964x15.02	S	0.5pitch,18PIN
	MTC3038FA	NT7538-COG	32.0x21.0	29.0x15.0	25.575x12.775	P/S,6800/8080	0.6pitch,49PIN
MTC3067	ST7565R	46.0X36.0	41.8X26.1	39.281X22.831	S	0.8 ,21PIN	
MTC2044FA	ST7565R-COG	25.0X21.0	23.0X19.0	20.46X14.06	P	0.5pitch,28PIN	
MTC3040FA	S6B0724-COG	36.0x27.7	34.0x20.0	30.05x16.61	S	0.8pitch,21PIN	
MTC3040FB	S6B0724-COG	36.0x27.7	34.0x20.0	30.05x16.61	P/S,6800/8080	0.9pitch,31PIN	
MTC3040FC	S6B0724-COG	36.0x27.7	34.0x20.0	30.05x16.61	P,6800/8080	0.8pitch,28PIN	
MTC3040FD	S6B0724-COG	36.0x27.7	34.0x20.0	30.05x16.61	P/S,6800/8080	0.9pitch,31PIN	
MTC3040FE	S6B0724-COG	36.0x27.7	34.0x20.0	30.05x16.61	S	0.8pitch,21PIN	
MTC3042FA	ST7565R-COG	36.6x28.0	34.6x22.5	30.95x18.47	S	0.8pitch,21PIN	

邁高達科技有限公司
Microtech Technology Co.,Ltd.
香港九龍佐敦上海街 42-46 號忠和商業中心3樓 304 室。
Unit 304, 3/F., Chung Wo Commercial Centre, 42-46
Shanghai Street, Jordan Kowloon Hong Kong.
電話 Tel: (852) 3521 0311 傳真 Fax: (852) 3523 0449
電郵 E-mail: Edward_Chu@microtech-lcd.com
Website: www.microtech-lcd.com

LCD Modules Selection Guide

深圳市邁高達科技有限公司
ShenZhen Microtech Technology Co., Ltd.
深圳市民治大道沙吓村南方明珠工業園廠房 A 棟 3 樓
3/F., Block A, Southern Pearl Industrial Estate, Minzhi Da
Dao, Shaxia Village, Shengzhen City, Guang Dong
Province, China.
Tel:(86-755) 8372 5193 8372 5037 (Ext.808)
Fax:(86-755) 8372 3887

Dot Matrix LCM Product List

Dots	Part No.	Controller	Outline Dimensio	View Area	Active Area	Interface	remark
128x64	MTC3050FA	ST7565R-COG	32.0x19.14	28.0x14.1	23.916x10.86	P,6800/8080	0.7pitch,30PIN
	MTC3062FA	ST7565R	33.0x21.0	29.0x13.5	26.86x12.0	S	0.8pitch,18PIN
	MTC7002FA	ST7565P-COG	70.0x43	59.874x29.922	59.874x29.922	S	0.5pitch,20PIN
	MTC3058	TLS8201	36.6*28	34.6*22.5	30.95*18.47	S	0.8pitch,21pin
	MTC5537	SPLC501	36*24.5	32*16.5	30.06*14.7	S	0.5pitch,7pin 共3042的FPC
	MTC6536	ST7565S	31.0*27.0	28.0*18.0	25.96*15.02	P	0.5pitch,28pin
	MTC3042FA(V2.0)	ST7567R	36.60*28.0	34.6*24.5	30.95*18.47	S	0.8pitch,20pin
	MT5337FB	SPLC501-COG	36X24.5	32X16.5	30.06X14.7	S	0.5pitch,28pin
	MTC6006FA	ST7565R	64.5X27.5	40.0X19.586	35.948X17.004	P	0.5pitch,28pin
	MTC4011FA	COG	42.30X33.00	40.00X22.00	37.10X19.82	S	0.5pitch,18pin
	MTC2047FA	ST7565R-COG	32.80X32.17		23.66x15.34	P	0.5pitch,28pin
	MTC5587FB	TLS8201-COG	33X23	29.0x13.5	26.86x12.0	S	0.5pitch,21pin
132x32	MTC3006B	ST7565S-COG	34.7x16.0	31.9x12.0	29.02x7.98	P,6800/8080	0.6pitch,49PIN
	MTC3009FA	NT7534-COG	34.5x15.4	29.9x9.4	26.38x7.02	P/S,6800/8080	0.6pitch,49PIN
	MTC3009FB	NT7534-COG	34.5x15.4	29.9x9.4	26.38x7.02	P,6800/8080	0.6pitch,49PIN
	MTC3009FC	NT7534-COG	34.5x15.4	29.9x9.4	26.38x7.02	P,6800/8080	0.6pitch,49PIN
	MTC3009FD	NT7534-COG	34.5x15.4	29.9x9.4	26.38x7.02	P,6800/8080	0.6pitch,49PIN
	MTC3009FE	NT7534-COG	34.5x15.4	29.9x9.4	26.38x7.02	P/S,6800/8080	0.5pitch,29PIN
	MTC3009FF	NT7534-COG	34.5x15.4	29.9x9.4	26.38x7.02	P/S,6800/8080	0.5pitch,29PIN
	MTC3035FA	ST7538-COG	34.5x15.4	29.9x9.4	26.38x7.02	P/S,6800/8080	0.6pitch,49PIN
	MTC3035FB	ST7538-COG	34.5x15.4	29.9x9.4	26.38x7.02	P/S,6800/8080	0.6pitch,29PIN
	MTC3046FA	ST7565R-COG	34.5x15	31.9x9.5	29.02x7.02	S	0.8pitch,18PIN
	MTC3046FB	ST7565R-COG	34.5x15	31.9x9.5	29.02x7.02	P,6800/8080	0.7pitch,28PIN
	MTC3048FA	ST7538-COG	34.5x15.0	31.9x9.5	29.02x7.02	P/S,6800/8080	0.6pitch,49PIN
	MTC3048FB	ST7538-COG	34.5x15.0	31.9x9.5	29.02x7.02	S	0.5pitch,28PIN
	MTC3063FA	ST7565R-G	34.5x15.0	31.9x9.5	29.02x7.02	S	0.8pitch,18pin
	MTC3063FB	ST7565R-G	34.5X15.0	21.9X9.5	29.02X7.02	P	0.7pitch,28pin
	MTC3068FA	ST7566R-G	34.5x18	32x10	29.67x8.45	S	0.5pitch,20pin
	MTC4010FA	TLS8201	48.0x13.62	45X7.12	42.21X5.57	P	0.8pitch,18pin
132x64	MTC3064	ST7565P-COG	36X27.5	33.4X20.4	30.34x17.26	P	0.8pitch,28PIN
	MTC2034	ST7565R-COG	28.0x29.1	25.0x22.09	22.95x19.50	P	0.8pitch,28pin
	MTC7005FA	ST7565-COG	74.99x54.41	70.99x41.41	67.95x38.37	S	0.5pitch,20PIN
	MTC8002FA	ST7565-COG	83.56x44.12	79.56x40.12	76.52x37.08	S	0.5pitch,20PIN
	MTC8003FA	ST7565P-COG	85.27X41.45	80.90X32.75	76.00X30.00	P	0.6pitch,28PIN
	MTC3060	ST7565R-COG	28*31	25*23	22.95*19.49	P	0.8pitch,28PIN
84X48	MTC2046FA	ST7565-COG	25X25	23X19	20.98X15.82	S	0.5pitch,8pin
101x80	MTC3044FA	UC1612-COG	34.9x34.7	31.5x24.6	27.245x21.575	S	0.8pitch,18PIN
102x64	MTC3056FA	NT7538-COG	34x24.1	31x14.32	26.225x13.105	S	1.0pitch,6PIN
102x80	MTC3057	UC1612-COG	35.0*34.5	29.53*24.47	27.52*22.46	p	0.6pitch,24pin
112x64	MTC3047FA	SSD1815Z-COG	33.1x31.65	29.8x25.2	27.97x15.97	P,6800/8080	0.8pitch,36PIN,ICON
128x128	MTC3043FA	ST7541-COG	33.0x38.3	30.0x30.8	26.855x26.855	P	0.8pitch,36PIN
	MTC4002B	ST7541-COG	47.0x44.5	41.8x33.8	38.375x31.335	P/S	0.8pitch,38PIN
	MTC4005FA	ST7541-COG	33.5x42.3	30.5x34.3	24.3x31.34	P/S	3
128x96	MTC4012FA	ST7541-COG	42X33.3	36X28	31.98X21.58	S	0.5pitch,20pin
132x16	MTC3061FA	SPLC502B	36.5x13.4	34.0x6.2	31.655x3.815	S	0.8pitch,18PIN
192X64	MTC10001FA	IST3020	104.00X45.00	99.00X34.00	92.12X30.68	P	0.8pitch,30pin
208x65	MTC6005	IST3020	67X30	60.425X20.385	58.225X18.185	P	0.5pitch,15pin
	MTC6007	IST3017-COG	67X30	59.625X19.585	58.225X18.185	P	0.5pitch,15pin
64X48	MTC2025FA	ST7565R-COG	21.0X18.4	16.0X12.14	13.415X10.055	P	0.7pitch,28pin

邁高遠科技有限公司
Microtech Technology Co.,Ltd.
香港九龍佐敦上海街 42-46 號忠和商業中心3樓 304 室。
Unit 304, 3/F., Chung Wo Commercial Centre, 42-46
Shanghai Street, Jordan Kowloon Hong Kong.
電話 Tel: (852) 3521 0311 傳真 Fax: (852) 3523 0449
電郵 E-mail: Edward_Chu@microtech-lcd.com
Website: www.microtech-lcd.com

LCD Modules Selection Guide

深圳市邁高遠科技有限公司
ShenZhen Microtech Technology Co., Ltd.
深圳市民治大道沙坪村南方明珠工業園廠房 A 棟 3 樓
3/F., Block A, Southern Pearl Industrial Estate, Minzhi Da
Dao, Shaxia Village, Shengzhen City, Guang Dong
Province, China.
Tel:(86-755) 8372 5193 8372 5037 (Ext.808)
Fax:(86-755) 8372 3887

TN Display LCM Product List

Dots	Part No.	Controller	Outline Dimensio	View Area	Remark
Segment	MTD101R	PIN	19.2x13.0	17.2x8.0	1.5pitch, 14PIN
	MTD102T	HEAT SEAL +FFC	14x15	9x9	1.0pitch, 13PIN ※
	MTD103T	HEAT SEAL +FFC	14x15	9x9	1.0pitch, 13PIN ※
	MTD104T	FPC	14x15	9x9	0.5pitch, 32PIN ※
	MTD105T	FPC	14x15	9x9	0.5pitch, 32PIN ※
	MTD106T	HEAT SEAL	26.50x19.00	22.50x16.60	0.7pitch, 25pin ※
	MTD107T	PIN	14X8	12X4.5	1.0pitch, 12pin
	MTD201	HEAT SEAL	24.15x16.7	22.0x12.05	1.0pitch, 14PIN
	MTD202	PIN	20.5x16.5	17.5x11.0	1.5pitch, 12PIN
	MTD203	PIN	20.5x16.5	17.5x11.0	2.0pitch, 7PIN
	MTD204	PIN	26.8x18.3	24.0x14.0	1.0pitch, 13PIN
	MTD205	PIN	24.5x16.5	22.0x11.0	2.0pitch, 9PIN
	MTD206	PIN	26.8x18.3	24.0x14.0	1.0pitch, 13PIN
	MTD207	PIN	26.8x19.3	23.8x13.8	1.0pitch, 6PIN
	MTD208	ZEBRA	25.0x20.0	22.6x14.6	1.3pitch, 34PIN
	MTD209	PIN	20.0x12.0	18.0x8.0	1.0pitch, 14PIN
	MTD210	HEAT SEAL	24.4x14.0	22.0*10.0	1.4pitch, 14pin
	MTD211	FPC	23.5*7.0	无	0.5pitch, 11pin
	MTD212T	PIN	24.5.x16.5	22.0X11.0	1.5pitch, 10PIN
	MTD213T	ZEBRA	25.0X12.10	20.0X10.10	0.8pitch, 24PIN
	MTD214T	PIN	22.5x20.5	14.5x18.0	1.5pitch, 18pin
	MTD215	PIN	25X17	21.71X12	1.0pitch, 20pin
	MTD216	PIN	21x23	18x16	2.54pitch, 12pin
	MTD217T	HEAT SEAL	17.16X7.1	15.36X3.7898	0.5pitch, 21pin
	MTD218R	ZEBRA	23X10.5	21X6.5	1.5pitch, 7pin
	MTD220	ZEBRA	23.50X33.00	20.50X27.70	0.7pitch, 31pin
	MTD221T	PIN	23X14	21X10	1.5pitch, 14pin
	MTD222T	PIN	20.50X16.50	17.50X11.00	1.5pitch, 12pin
	MTD223	ZEBRA	21.0X24.0	19.0X20.0	0.8pitch, 24pin
	MTD224T	PIN	23X13	20X8	13PIN
	MTD225	FPC	29.00X25.50	27.00X21.00	0.8pitch, 29pin
	MTD226	PIN	23X14	21X10	1.5pitch, 14PIN
	MTD227	HEAT SEAL	29X25.5	26.60X20.60	0.8pitch, 31pin
	MTD228	HEAT SEAL	21X29	18X24	0.7pitch, 28pin
MTD229T	FPC	24.10X24.10	22.10X19.80	0.7pitch, 28pin	
MTD230T	PIN	31.00X28.10	24.70X21.60	1.27pitch, 23pin	
MTD231T	PIN	25.00X30.90	23.00X26.40	1.5pitch, 10pin	
MTD232T	PIN	25.00X30.90	27.5X17.80	1.8pitch, 28pin	
MTD233R	FPC	21X24	20X20	0.8pitch, 24pin	
MTD301T	ZEBRA	30.0x27.5	27.0x22.5	2.0pitch, 12PIN	
MTD302T	ZEBRA	30.0x27.5	27.0x22.5	2.0pitch, 11PIN	
MTD303R	PIN	35.0x14.0	32.0x12.0	2.0pitch, 11PIN	
MTD304T	HEAT SEAL	37.4x15.8	34.4x12.3	1.4pitch, 23PIN	
MTD305R	PIN	39.0x25.0	36.0x18.0	2.0pitch, 32PIN	
MTD306R	PIN	37.0x39.0	35.0x35.0	2.0pitch, 12PIN	
MTD307R	PIN	36.0x21.0	33.0x13.0	1.5pitch, 13PIN	
MTD308T	PIN	30.0x13.0	29.0x10.0	2.0pitch, 11PIN	
MTD309	HT1621-COB	35x27	32x22	2.54pitch, 8PIN	
MTD310	ZEBRA	34x28	31x20.4	1.0pitch, 38PIN	
MTD311 T	PIN	32.0*34.0	30.0*28.0	2.54pitch, 10pin	
MTD312	ZEBRA	31.0*17	27.0*10.0	1.8*16PIN	
MTD313T	PIN	30.0x13.0	28.0X9.0	2.0pitch, 11PIN	
MTD314	PIN	36.00X33.00	31.00X31.00	1.5pitch, 19pin	

邁高達科技有限公司
Microtech Technology Co., Ltd.
香港九龍佐敦上海街 42-46 號忠和商業中心3樓 304 室。
Unit 304, 3/F., Chung Wo Commercial Centre, 42-46
Shanghai Street, Jordan Kowloon Hong Kong.
電話 Tel: (852) 3521 0311 傳真 Fax: (852) 3523 0449
電郵 E-mail: Edward_Chu@microtech-lcd.com
Website: www.microtech-lcd.com

LCD Modules Selection Guide

深圳市邁高達科技有限公司
ShenZhen Microtech Technology Co., Ltd.
深圳市民治大道沙吓村南方明珠工业园厂房 A 栋 3 樓
3/F., Block A, Southern Pearl Industrial Estate, Minzhi Da
Dao, Shaxia Village, Shengzhen City, Guang Dong
Province, China.
Tel:(86-755) 8372 5193 8372 5037 (Ext.808)
Fax:(86-755) 8372 3887

TN Display LCM Product List

Dots	Part No.	Controller	Outline Dimensio	View Area	Remark
Segment	MTD315R	PIN	35.5X22.0	32.5X17.0	1.5pitch,20PIN
	MTD317T	FPC	32.00X20.70	30.00X16.70	0.8pitch,32pin
	MTD318T	FPC	32.00X20.71	30.00X16.71	0.8pitch,32pin
	MTD319T	FPC	38.00X40.00		1.5pitch,34pin
	MTD401R	HEAT SEAL	40.5x16.5	37.5x10.0	1.0pitch,24PIN
	MTD402T	ZEBRA	47.0x19.8	44.0x13.0	0.9pitch,96PIN HTN
	MTD403R	HEAT SEAL	48.0x30.0	45.0x24.85	1.4pitch,32PIN
	MTD404T	ZEBRA	45.67x43.04	42.67x36.04	1.0pitch,40PIN
	MTD405R	HEAT SEAL	40.0x14.3	37.6x9.1	1.3pitch,27PIN
	MTD406R	HEAT SEAL	40.0x12.0	37.0x6.0	2.54pitch,10PIN
	MTD407R	HEAT SEAL	48x30	46x26	1.6pitch,32PIN
	MTD408T	HEAT SEAL	44.0*18.0	39.5*12.0	1.2pitch,31pin
	MTD409T	PIN	44.0*25.0	41.0*18.0	1.5pitch,26pin
	MTD410T	FPC	49.0*39.5	46.0*34.0	0.8pitch,31pin
	MTD411T	PIN	43.0*25.3	40.0*20.0	1.5pitch,19pin
	MTD412R	FPC	44.0*22.0	36.5*14.6	0.7pitch,16pin
	MTD413	PIN	43.5x26.0	40.5x23.5	1.5pitch,28pin
	MTD415R	PIN	42.5X26.5	39.5X21.5	1.2pitch,30pin
	MTD416R	HEAT SEAL	49.00X25.40	45.50X18.00	2.2pitch,34pin
	MTD417R	PIN	44X23	40X17	1.5pitch,28pin
	MTD420		43.00X25.30	40X20	1.27pitch,30pin
	MTD422		47.98X27.70	43X18.7	2.54pitch,28pin
	MTD501R	HEAT SEAL	53.0x20.5	45.0x9.0	1.0pitch,22PIN
	MTD502R		52.0x18.5	49.0x13.2	1.5pitch,24PIN
	MTD503R	PIN	53.9x34.9	50.9x26.9	2.0pitch,24PIN
	MTD504R	ZEBRA	56.0x12.0	53.0x7.0	2.0pitch,9PIN
	MTD505R	ZEBRA	52.6x45.0	49.6x40.0	1.5pitch,32pin
	MTD506T	PIN	57X28	53X20	2.5pitch,16pin
	MTD507T	PIN	53.00X44.00	50.00X36.00	1.5pitch,42pin
	MTD508T	PIN	53.00X44.00	50.00X36.00	1.5pitch,42pin
	MTD601R	HEAT SEAL	60.5*20.5	61.0*13.0	1.0pitch,26pin
	MTD602T		50.0*60.0	47.0*53.0	2.54pitch,34pin
	MTD603T		66.0*26.5	62.0*19.0	1.0pitch,13pin
MTD604T	ZEBRA	67.10*24.50	64.10*19.00	1.6pitch,36pin	
MTD605T	HEAT SEAL	63.0x25.0	60.6x20.6	1.6pitch,26pin	
MTD606T	PIN	65.5X36	63X29	2.54pitch 36PIN	
MTD608T	PIN	68X43	65X35	2.54pitch 32PIN	
MTD701T		79.20X28.60	71.20X20.00	0.8pitch,72pin	
MTD901T	PIN	78.00X20.00	76X16	1.5pitch 14PIN	
MTD1001	PIN	116X65	112X56	2.54pitch,22pin	
MTD1501		153X123	150X115	3.0pitch,62pin	

邁高達科技有限公司
Microtech Technology Co.,Ltd.
香港九龍佐敦上海街 42-46 號忠和商業中心3樓 304 室。
Unit 304, 3/F., Chung Wo Commercial Centre, 42-46
Shanghai Street, Jordan Kowloon Hong Kong.
電話 Tel: (852) 3521 0311 傳真 Fax: (852) 3523 0449
電郵 E-mail: Edward_Chu@microtech-lcd.com
Website: www.microtech-lcd.com

LCD Modules Selection Guide

深圳市邁高達科技有限公司
ShenZhen Microtech Technology Co., Ltd.
深圳市民治大道沙吓村南方明珠工业园A栋3楼
3/F.,Block A,Southern Pearl Industrial Estate,Minzhi Da
Dao,Shaxia Village,Shengzhen City, Guang Dong
Province,China.
Tel:(86-755) 8372 5193 8372 5037 (Ext.808)
Fax:(86-755) 8372 3887

CSTN & TFT LCM Product List

Size	Display	Part No.		Resolution	View Area		Remark
	mode						
1.44"	CSTN	MTR0144GOTL-01	128X128	33.2x41.5	26.0x27.6	MCU(P)	IC:TSL8103 FPC:32PIN
1.47"	CSTN	MTR0150GOUC-01	128X128	33.35x41.6	29.3x29.9	MCU(P)	IC:UC1697 FPC:32PIN
1.5"	CSTN	MTR0150ETST-01	128X128	33.35x41.6	28.3x30.17	MCU(P)	IC:ST7637 FPC: 32PIN
		MTR0150ETST--02	128x128	33.35x41.6	28.3x30.17	MCU(P/S)	IC:ST7637 FPC: 32PIN
		MTR0150ETST--03	128x129	33.3x41.7	28.3x30.17	MCU(P)	IC:ST7637 FPC: 20PIN
		MTR0150ETST--04	128x128	33.3x41.6	28.3x30.17	MCU(P)	IC:ST7637 FPC: 32PIN
1.75"	CSTN	MTR0175ETST-01	128X160	33.54x44.9	30.54x36.04	MCU(P)	IC:ST7669 FPC:20PIN
2.0"	CSTN	MTR0200NYST-01	128X160	37.68x51.2	31.8x40.60	MCU(P)	IC:ST7669 FPC:32PIN
1.77"	TFT	MTF0177AUSP-01	128X160	34X45.78	30.2x37.4	MCU(P)	IC:SPFD54124A FPC:20pin
		MTF0177AUSP-02	128X160	34X45.78	30.2x37.4	MCU(P)	IC:SPFD54124A FPC:30pin
2.0"	TFT	MTF0200AUNT-01	176x220	37.8X51.0	33.8x43.20	MCU(P)	IC:NT39115 FPC:37PIN
		MTF0200CPIL-02	176x220	37.8X52.3	33.8x43.20	MCU(P)	IC:ILI9225 FPC:37PIN
2.2"	TFT	MTF0220AUNT-01	176x220	41.7X50.16	38.05x50.16	MCU(P)	IC:NT39115 FPC:37PIN
		MTF0220CMIL-02	240x320	41.7X50.16	37.8x52.80	MCU(P)	IC:ILI9320 FPC: 40PIN
		MTF0220CMIL-04	240x320	41.9X57.2	37.6x50.0	MCU(P)	IC:ILI9320 FPC: 37PIN
2.4"	TFT	MTF0240CMIL-01	240x320	42.72X60.26	41.10x57.10	MCU(P)	IC: ILI9320 FPC: 37PIN
		MTF0240CPIL-03	240x320	41.10X57.11	41.10x57.10	MCU(P)	IC: ILI9325 FPC: 37PIN
		MTF0240WIST-02	240x320	41.10X57.10	41.10x57.10	MCU(P)	IC :ST7787 FPC:37PIN
2.6"	TFT	MTF0240PVIL-01	240x400	41.0X66.40	38.60x58.10	MCU(P)	IC: ILI9326 FPC: 20PIN
2.8"	TFT	MTF0280PVIL-01	240X320	50.3X69.2	44.8X63.1	MCU(P)	IC:ILI9320 FPC:37PIN
		MTF0280PVIL-02	240X320	50.3X69.2	44.8X63.1	MCU(P)	IC:ILI9320 FPC:37PIN
		MTF0280WIII-03	240X320	50.3X69.2	44.8X63.1	MCU(P)	IC:ILI9320 FPC:37PIN
		MTF0280CPIL-04	240X320	50.3X69.2	44.8X63.1	MCU(P)	IC:ILI9325 FPC:37PIN
		MTF0280CPIL-05	240X320	50.0X69.2	47.2X62.5	RGB	IC:ILI9325 FPC:37PIN
		MTF0280CMIL-06	240X320	50.0X69.2	44.2X62.5	MCU(P)	IC:ILI9325 FPC:39PIN
		MTF0280CMIL-07	240X320	50.0X69.2	44.2X62.5	MCU(P)	IC:ILI9325 FPC:34PIN
		MTF0280WIII-08	240X320	50.0X69.2	44.8X62.5	MCU(P)	IC:ILI9325 FPC:36PIN
3.0"	TFT	MTF0320CPIL-01	240X400	45.04X77.00	43.19X74.00	MCU(P)	IC:ILI9326 FPC:37PIN
		MTF0320PVIL-02	240x400	45.04X77.00	43.19X74.00	MCU(P)	IC:ILI9326 FPC:20PIN
3.2"	TFT	MTF0320WIII-01	240X320	57.54X79.20	49.6X65.8	MCU(P)	IC:ILI9320 FPC:37PIN
		MTF0320WIII-02	240x320	57.54X79.20	49.6X65.8	RGB	IC:ILI9320 FPC:44PIN
		MTF0320CMIL-03	240X320	57.54X79.20	49.6X65.8	RGB	IC:ILI9325 FPC:37PIN
		MTF0320CMIL-04	240x320	57.54X79.20	49.6X65.8	MCU(P)	IC:ILI9325 FPC:37PIN
		MTF0320CMIL-05	240x320	57.54X79.20	49.6X65.8	RGB	IC:ILI9325 FPC:40PIN
3.5"	TFT	MTF0350CPIL-01	320X240	76.9X63.9	71.82X55.05	RGB	IC:ILI9325 FPC:50PIN
4.3"	TFT	MTF0430EDHI-01		480X272	95.04X53.856(AA)		IC:Hx8655/8227 FPC:
5.6"	TFT	MTF56026018		960X234	113.3X84.7(AA)		26PIN
5.7"	TFT	MTF57051020		320X240	115.2X86.4(AA)		51PIN
6.0"	TFT	MTF060FW02V0		520X288	133.38X73.87(6")		26PIN
7.0"	TFT	MTF070VW04		800X480	154.4X91.44(7")		60PIN
	TFT	MTF70026025		480x234	154.08x86.58(AA)		26PIN
8.0"	TFT	MTF080SN01		800X600	162X121.5(8")		60PIN
8.5"	TFT	MTF085FW01V4		480X234	187.2X105.3		26PIN
10.1	TFT	MTF101VW01		800X480	219.6X131.76		60PIN
10.2"	TFT	MTF102VW01		800X480	222.0X132		30PIN
10.4	TFT	MTF104SN01		800X600	211.2X158		42PIN

邁高達科技有限公司
Microtech Technology Co.,Ltd.
香港九龍佐敦上海街 42-46 號忠和商業中心3樓 304 室
Unit 304, 3/F., Chung Wo Commercial Centre, 42-46
Shanghai Street, Jordan Kowloon Hong Kong.
電話 Tel: (852) 3521 0311 傳真 Fax: (852) 3523 0449
電郵 E-mail: Edward_Chu@microtech-lcd.com
Website: www.microtech-lcd.com

LCD Modules Selection Guide

深圳市邁高達科技有限公司
ShenZhen Microtech Technology Co., Ltd.
深圳市民治大道沙吓村南方明珠工业园厂房 A 栋 3 楼
3/F., Block A, Southern Pearl Industrial Estate, Minzhi Da
Dao, Shaxia Village, Shengzhen City, Guang Dong
Province, China.
Tel:(86-755) 8372 5193 8372 5037 (Ext.808)
Fax:(86-755) 8372 3887

COB LCM Display Product List

Char	LCM	Part No.	Module Dim.	View Area	LCD	Backlight	Remark
Xline	Type		(mm)	(mm)	Type		
20x02	COB	MTB202A	116.0x37	85.0x18.6	STN(Y/G)	Y/G(B)	
16x02	COB	MTB1602G	122.0x44.0	99.0x24.0	STN(Y/G)	Y/G(B)	
	COB	MTB1602H	71.6x25.6	64.6x16.0	STN(Y/G)	Y/G(B)	
	COB	MTB1602	84.0x44.0	65.0x16.1	STN(Y/G)	Y/G(B)	
16x04	COB	MTB1604001	87.0x60.0	62.0x25.6	STN(Y/G)	Y/G(B)	UP
	COB	MTB1604002	87.0x60.0	62.0x25.6	STN(Y/G)	White	
20X04	COB	MTB2004001	98.0x60.0	76.0x25.2	STN(Y/G)	Y/G(B)	
	COB	MTB2004002	98.0x60.0	76.0x25.2	STN(Blue)(N)	White(S)	
24X02	COB	MTB2402001	118.0x36.0	93.5x16.0	STN(Y/G)	Y/G(B)	
	COB	MTB2402002	118.0x36.0	94.5x17.8	STN(Y/G)	White(S)	
40x02	COB	MTB4002001	190.0X54.0	149.0X31.0	STN(Y/G)	Y/G(B)	
Dots	COB	MTB12864J1	87.00x70.00	72.00x40.00	STN(Y/G)	Y/G(B)	128x64
Dots	COB	MTB24064	125.0x60	111.6x37.0	STN(Y/G)	Y/G(B)	240x64

邁高遠科技有限公司
Microtech Technology Co.,Ltd.
香港九龍佐敦上海街 42-46 號忠和商業中心3樓 304 室。
Unit 304, 3/F., Chung Wo Commercial Centre, 42-46
Shanghai Street, Jordan Kowloon Hong Kong.
電話 Tel: (852) 3521 0311 傳真 Fax: (852) 3523 0449
電郵 E-mail: Edward_Chu@microtech-lcd.com
Website: www.microtech-lcd.com

LCD Modules Selection Guide

深圳市邁高遠科技有限公司
ShenZhen Microtech Technology Co., Ltd.
深圳市民治大道沙吓村南方明珠工业园厂房 A 栋 3 楼
3/F.,Block A,Southern Pearl Industrial Estate,Minzhi Da
Dao,Shaxia Village,Shengzhen City, Guang Dong
Province,China.
Tel:(86-755) 8372 5193 8372 5037 (Ext.808)
Fax:(86-755) 8372 3887

Mobile Phone Display LCM Product List

Part No.	LCD Type	Outline Dimension	remark		
NOKIA3350	B/W	38.3x34.9	MT5586		
NOKIA3310	B/W	38.3x34.9	MT5565		
NOKIA1100	B/W	34.85x34.7			
NOKIA8210	B/W	33.7x32.4	NOKIA8250		
NOKIA6210	B/W	38.3x37.5			
NOKIA5110	B/W	38.35x33.0			
NOKIA3410	B/W	38.14x34.74			
NOKIA6110	B/W	38.6x33.0			
NOKIA6111	CSTN	49.2x35.44			
NOKIA3100	CSTN	40.12x34.14	NOKIA 6100,7210,6108		
SonyEricssonT610	CSTN	48.6x38.8			
SonyEricssonT630	CSTN	48.55x37.68			
Siemens2118	CSTN	35.9x34.5	MTC3007		
SiemensC45	B/W	35.85x34.43			
SiemensC55	B/W	35.9x31.7			
SiemensC62	CSTN	37.08x32.83			
MOTO C168	CSTN	39.52x35.12	MOTO C168,V180,V220		
UT108	B/W	34.0x23.7	MT3010		
UT220	B/W	34.0x23.8	MT5581		